



T.C
ERCIYES ÜNİVERSİTESİ
SAĞLIK UYGULAMA VE ARAŞTIRMA MERKEZİ
STERİLİZASYON HİZMETLERİ
DİSTİLE SU İLETKENLİK KAYIT FORMU



BİRİM								
AY/YIL		CİHAZ SERİ NO:						
GÜN	ARALIK	1.ÖLÇÜM (08.00)	ADI SOYADI	İMZA	2.ÖLÇÜM (16: 00)	ADI SOYADI	İMZA	
1	<1.00uS/cm							
2	<1.00uS/cm							
3	<1.00uS/cm							
4	<1.00uS/cm							
5	<1.00uS/cm							
6	<1.00uS/cm							
7	<1.00uS/cm							
8	<1.00uS/cm							
9	<1.00uS/cm							
10	<1.00uS/cm							
11	<1.00uS/cm							
12	<1.00uS/cm							
13	<1.00uS/cm							
14	<1.00uS/cm							
15	<1.00uS/cm							
16	<1.00uS/cm							
17	<1.00uS/cm							
18	<1.00uS/cm							
19	<1.00uS/cm							
20	<1.00uS/cm							
21	<1.00uS/cm							
22	<1.00uS/cm							
23	<1.00uS/cm							
24	<1.00uS/cm							
25	<1.00uS/cm							
26	<1.00uS/cm							
27	<1.00uS/cm							
28	<1.00uS/cm							
29	<1.00uS/cm							
30	<1.00uS/cm							
31	<1.00uS/cm							
BİRİM SORUMLUSU						İMZA		

*Bu belge 1 yıl saklanacak sonra imha edilecektir.